




Stemborer infestation on maize plants treated with Salicylic Acid

By Ismaila Mbenga

VDM Verlag Mai 2011, 2011. Taschenbuch. Book Condition: Neu. 220x150x5 mm. This item is printed on demand - Print on Demand Neuware - To determine the effect of salicylic acid on infestation and damage on maize by stem borers, different doses of salicylic acid (0.5 g, 1.0 g, 2.0 g and 4.0 g each in 1.0 L of H2O, 1.0 g in 100L of H2O/ha, 200g in 100L of H2O /ha, 400g in 100L of H2O /ha and 0g of SA as the control) were dissolved in water and sprayed on the leaves of maize plants for five times, at 10-day intervals, starting 10 days after germination until 60 days of the plant growth. The experiment was conducted in both the major and the minor seasons of the year 2009, with a split plot design; with fertilizer and without fertilizer, with four replications. The results indicated that salicylic acid appeared to have no effects on both the stem borer infestations levels and grain yield of the maize. Busseola fusca formed the majority of the stem borer larvae in the maize in both seasons, and the fertilized crops appeared to have attracted more stem borers than the unfertilized crops. This work...



Reviews

These kinds of publication is the ideal pdf offered. It generally is not going to expense too much. I am just delighted to let you know that this is actually the very best book i have go through inside my very own life and might be he finest ebook for ever.

-- Mabelle Schoen

Great e book and beneficial one. It is amongst the most awesome pdf i actually have read through. You wont feel monotony at at any time of your own time (that's what catalogs are for relating to if you request me).

-- Dorothy Daugherty